



# 10

## INSULATED TOOLS

### INSULATED SCREWDRIVER SLOTTED




⚠️ 1000V ⚡️ ⚙️

- GS, CE Approved for High-Pot 1000V Test
- Insulated blade made in Cr-V Steel
- Blade Heat Treated
- Magnetic Tip

PART #	SIZE	LENGTH	NEW
E6481	2.5x75mm	154,0mm	12
E6482	4.0x100mm	188,0mm	12
E6483	5.0x125mm	213,0mm	12
E6484	6.5x150mm	248,0mm	12

### INSULATED SCREWDRIVER SLOTTED



⚠️ 1000V ⚡️ ⚙️

- Blade made of S2.
- Two tone of TPR handle.
- Full heat treated, durable.

PART #	SIZE	LENGTH	NEW
E6486	2,5x75mm	154,0mm	12
E6490	3,0x100mm	273,0mm	12 <b>NEW</b>
E6495	3,5x100mm	273,0mm	12 <b>NEW</b>
E6487	4,0x100mm	188,0mm	12
E6488	5,5x125mm	213,0mm	12
E6489	6,5x150mm	248,0mm	12

### 7PCS. INSULATED SCREWDRIVER



⚠️ 1000V ⚡️ ⚙️

- 4-Screwdriver slotted 2.5X75,4.0X100,5.0X125,6.5X150mm
- 3-Screwdriver phillips #0X75,#1X80,#2X100mm
- Blade Made of Cr -V.

PART #	CONTENTS	ΔΔ	NEW
E1168	7PCS	0,58kg	6

### INSULATED SCREWDRIVER PHILLIPS



⚠️ 1000V ⚡️ ⚙️

- GS, CE Approved for High-Pot 1000V Test
- Insulated blade made in Cr-V Steel
- Blade Heat Treated
- Magnetic Tip

PART #	SIZE	LENGTH	NEW
E6491	#0X75mm	154,0mm	12
E6492	#1X80mm	168,0mm	12
E6493	#2X100mm	198,0mm	12

### INSULATED SCREWDRIVER PHILLIPS



⚠️ 1000V ⚡️ ⚙️

- Blade made of S2.
- Two tone of TPR handle.
- Full heat treated, durable.

PART #	SIZE	LENGTH	NEW
E6496	PH0x60mm	154,0mm	12
E6497	PH1x80mm	168,0mm	12
E6498	PH2x100mm	198,0mm	12
E6499	PH3x150mm	323,0mm	12 <b>NEW</b>

### 7PC INSULATED SCREWDRIVER




⚠️ 1000V ⚡️ ⚙️

- 4 pcs - Slotted 2.5X75,4.0X100,5.5X125,6.5X150mm
- 3 pcs - Phillips #0X60,#1X80,#2X100mm
- Blade made of S2, double color TPR handle.

PART #	CONTENTS	ΔΔ	NEW
E1169	7PCS	0,8kg	6

### 10PC INSULATED TOOLS SET



⚠️ 1000V ⚡️ ⚙️

- 3 pcs - Slotted 2.5x75, 4.0x100, 5.5x125mm
- 2 pcs - Phillips #1x80, #2x100mm
- 4 pcs - Lineman's Plier, Long Nose Plier, Diagonal Plier, Insulated Tape
- 1 pcs - VDE Voltage Tester

PART #	CONTENTS	ΔΔ	NEW
E1170	10PCS	1,7kg	6



INSULATED TOOL

VDE INSULATED LINEMAN'S PLIER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5361	6"	150,0mm	6
E5362	7"	175,0mm	6
E5363	8"	200,0mm	6

VDE INSULATED DIAGONAL PLIER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5381	6"	150,0mm	6
E5383	7"	175,0mm	6

VDE INSULATED GROOVE JOINT PLIER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5398	10"	250,0mm	6

VDE INSULATED BENT NOSE PLIER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5391	6"	150,0mm	6
E5392	8"	200,0mm	6

VDE INSULATED TAPE



▲ 1000V

PART #	COLOR	mm
E9725	RED	50

VDE INSULATED LONG NOSE PLIER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5371	6"	150,0mm	6
E5372	8"	200,0mm	6


VDE INSULATED WIRE STRIPPER



▲ 1000V

- Made of Cr-V.

PART #	SIZE	LENGTH	mm
E5396	6"	150,0mm	6



VDE INSULATED NUT DRIVER SCREWDRIVERS



▲ 1000V

- Double color TPR handle
- Blade made of S2, heat treated
- IEC60900

PART #	SIZE	LENGTH	mm
E6444	4,0x125mm	230mm	12
E6445	5,0x125mm	230mm	12
E6446	5,5x125mm	230mm	12
E6447	6,0x125mm	230mm	12
E6448	7,0x125mm	230mm	12
E6449	8,0x125mm	230mm	12
E6450	9,0x125mm	230mm	12
E6471	10x125mm	230mm	12
E6472	11x125mm	243mm	12
E6473	12x125mm	243mm	12
E6474	13x125mm	243mm	12
E6475	14x125mm	243mm	12

VDE INSULATED OPEN END WRENCHES



▲ 1000V

- Made of CR-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	mm
E2920	6mm	89,5mm	6
E2921	7mm	89,9mm	6
E2922	8mm	99,5mm	6
E2923	9mm	99,5mm	6
E2924	10mm	110mm	6
E2925	11mm	120mm	6
E2926	12mm	130mm	6
E2927	13mm	140mm	6
E2928	14mm	150mm	6
E2929	15mm	160mm	6
E2930	16mm	165mm	6
E2931	17mm	165mm	6
E2932	18mm	175mm	6
E2933	19mm	180mm	6
E2934	21mm	195mm	6
E2935	22mm	205mm	6
E2936	24mm	230mm	6
E2937	27mm	250mm	4
E2938	30mm	285mm	4
E2939	32mm	308mm	4

VDE INSULATED BOX WRENCHES



▲ 1000V

- Made of CR-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	mm
E2960	6mm	130mm	6
E2961	7mm	140mm	6
E2962	8mm	150mm	6
E2963	9mm	160mm	6
E2964	10mm	170mm	6
E2965	11mm	180mm	6
E2966	12mm	190mm	6
E2967	13mm	200mm	6
E2968	14mm	210mm	6
E2969	15mm	215mm	6
E2970	16mm	215mm	6
E2971	17mm	220mm	6
E2972	18mm	230mm	6
E2973	19mm	240mm	6
E2974	21mm	250mm	6
E2975	22mm	260mm	6
E2976	24mm	280mm	6
E2977	27mm	290mm	4
E2978	30mm	310mm	4
E2979	32mm	320mm	4

VDE INSULATED ADJUSTABLE WRENCHES



▲ 1000V

- Made of CR-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	mm
E2051	8"	200mm	6
E2052	10"	250mm	6
E2053	12"	300mm	6

VDE INSULATED CABLE CUTTERS



▲ 1000V

- Made of CR-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	mm
E5401	6"	150mm	6

VDE INSULATED CABLE CUTTERS



▲ 1000V

- Made of CR-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	mm
E5402	10"	250mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7029	50mm	180mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7030	28mm	155mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	刀片长	LENGTH	IEC
E7031	50mm	180mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7032	50mm	180mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7033	38mm	155mm	6

VDE CABLE KNIVES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7034	58mm	185mm	6

VDE INSULATED CABLE BLADES



▲ 1000V ▲ GHS

- Stainless steel knife
- Double color TPR handle
- IEC60900

PART #	BLADE LENGTH	LENGTH	IEC
E7035	58mm	80mm	6

INSULATED PLASTIC CLAMP



▲ 1000V ▲ GHS

- Insulated PP
- IEC60900

PART #	LENGTH	IEC
E9738	150mm	6

INSULATED PLASTIC FLAT NOSE PLIER



▲ 1000V ▲ GHS

- Insulated PP
- IEC60900

PART #	LENGTH	IEC
E9739	200mm	6

VDE INSULATED PRECISION TWEEZERS



▲ 1000V ▲ GHS

- IEC60900

PART #	LENGTH	IEC
E9718	130mm	6

VDE INSULATED PRECISION TWEEZERS



▲ 1000V ▲ GHS

- IEC60900

PART #	LENGTH	IEC
E9720	150mm	6

VDE INSULATED RATCHETING CABLE CUTTERS



▲ 1000V ▲ GHS

- IEC60900

PART #	CUTTING DIAM.	LENGTH	IEC
E5403	32mm(240mm <sup>2</sup> )	240mm	1
E5404	52mm(380mm <sup>2</sup> )	330mm	1

VDE INSULATED PRECISION TWEEZERS



▲ 1000V ▲ GHS

- IEC60900

PART #	LENGTH	IEC
E9719	150mm	6

VDE INSULATED JUNIOR HACKSAW



▲ 1000V ▲ GHS

- IEC60900

PART #	SIZE	LENGTH	IEC
E7057	150mm	300mm	6

VDE INSULATED HEX KEY



▲ 1000V ▲ GHS

- Made of Cr-V, heat treated
- Rust-proof
- Double color TPR handle
- IEC60900

PART #	SIZE	LENGTH	IEC
E7501	3mm	130mm	6
E7502	4mm	140mm	6
E7503	5mm	160mm	6
E7504	6mm	180mm	6
E7505	8mm	200mm	6
E7506	10mm	235mm	6
E7507	12mm	260mm	6

VDE INSULATED PRECISION TWEEZERS



▲ 1000V ▲ GHS

- IEC60900

PART #	LENGTH	IEC
E9727	142mm	6

VDE VOLTAGE TESTERS



▲ 1000V ▲ GHS

- S2 blade,rust-proof
- PS handle
- 30,000times working life
- volt : 125-250V

PART #	SIZE	LENGTH	IEC
E5408	125-250V	145mm	12

VDE INSULATED CABLE CUTTERS



▲ 1000V ▲ GHS

- Made of Cr-V, heat treated
- High hardness
- Two tone insulated handle, comfortable
- IEC60900

PART #	SIZE	LENGTH	IEC
E5405	250mm <sup>2</sup>	610mm	1
E5406	500mm <sup>2</sup>	810mm	1



3/8" DR.VDE INSULATED SOCKET



▲ 1000V

- Made of Cr-V, heat treated
- Rust-proof IEC60900

PART #	SIZE	LENGTH	
E3378	8mm	44mm	6
E3380	10mm	44mm	6
E3381	11mm	44mm	6
E3382	12mm	44mm	6
E3383	13mm	44mm	6
E3384	14mm	44mm	6
E3386	16mm	44mm	6
E3387	17mm	44mm	6
E3388	18mm	44mm	6
E3389	19mm	44mm	6
E3391	21mm	44mm	6
E3392	22mm	44mm	6

4-WAY VDE INSULATED SOCKET WRENCH



▲ 1000V

- Made of Cr-V, heat treated IEC60900

PART #	SIZE	
E4595	10x12x14x17mm	6
E4596	10x13x14x17mm	6
E4597	13x14x17x19mm	6

VDE INSULATED PEAD BELOW HAMMER



▲ 1000V

- EXCHANGEABLE PU HEAD WITH STEEL GRID FILLINGS IEC60900

PART #	SIZE	
E7260	30mm	6

12.5mmDr. VDE INSULATED SOCKET



▲ 1000V

- Made of Cr-V, heat treated
- Rust-proof IEC60900

PART #	SIZE	LENGTH	
E3810	10mm	54mm	6
E3811	11mm	54mm	6
E3812	12mm	54mm	6
E3813	13mm	54mm	6
E3814	14mm	54mm	6
E3816	16mm	54mm	6
E3817	17mm	54mm	6
E3818	18mm	54mm	6
E3819	19mm	54mm	6
E3821	21mm	54mm	6
E3822	22mm	54mm	6
E3824	24mm	54mm	6
E3827	27mm	54mm	4
E3830	30mm	54mm	4
E3832	32mm	54mm	4

VDE INSULATED T-HANDLE WRENCH



▲ 1000V

- Made of Cr-V, heat treated
- Double color TPR handle IEC60900

PART #	SIZE	LENGTH	
E3421	10mm	200mm	4
E4534	12.5mm	200mm	4

VDE INSULATED CONSTRUCTION WRENCH



▲ 1000V

- Made of Cr-V, heat treated IEC60900

PART #	SIZE	
E2732	13x17mm	4
E2735	17x19mm	4
E2737	19x24mm	4

