


SPRING DIVIDERS



- Used for steel precision circle lineation, measure, bisectrix work and so on,
- Feet is connected by spring, with adjustable screw nut, convenient to use.

PART #	LENGTH	PCS
E0526	150mm	12
E0527	200mm	12
E0528	250mm	12
E0529	300mm	12

MAGNETIC V-BLOCK



- Mainly used for inspection of cylindrical work pieces, kentanium and correction
- Right angle, Surface is polished.
- Maximum erroneous precision : 0,02mm
- Sales for paired

PART #	CONTENTS	LxWxH	PCS
E0593	15KG	70x40x50mm	1
E0594	20KG	100x50x80mm	1

20PC FEELER GAUGE SET



- Made of 65Mn, polished.
- Male imperial contrast.
- Feeler 3.5" , include 6 pieces of copper,2 wrench, 2 pieces of steel wire.
- Feeler size: 0,05mm,0,10mm,0,15mm,0,20mm,0,25mm,0,30mm,0,35mm,0,40mm,0,45mm,0,50mm,0,55mm,0,60mm,0,65mm,0,70mm,0,75mm,0,80mm,0,85mm,0,90mm,0,95mm,1,00mm
- Meet and exceed DIN2275 and JIS B 7524-1992.

PART #	CONTENTS	PCS
E9732	20PCS	12

SCREW PITCH GAUGES



- Used for measuring the internal & external threads and teeth type Angle

PART #	LEAVES	RANGE	PCS
E0537	24PCS	0,25-6,0mm	12
E0538	28PCS	4-62TPI	12
E0539	52PCS	4-62TPI/0,25-6mm	12

FEELER GAUGE SET



- Total Length:150mm, apply to narrow space.
- Made of 65Mn, polished.
- Male imperial contrast.
- Meet and exceed DIN2275 and JIS B 7524-1992.

PART #	SIZE	CONTENTS	PCS
E9728	0,05-1,0mm	20PCS	12
E9729	0,02-0,50mm	17PCS	12
E9730	0,02-1,0mm	32PCS	12

32PC FEELER GAUGE SET



- Made of 65Mn, polished.
- Male imperial contrast.
- Feeler 3.5" , include 6 pieces of copper,2 wrench, 2 pieces of steel wire.
- Feeler size: 0,02mm,0,03mm,0,04mm,0,05mm,0,06mm,0,07mm,0,08mm,0,09mm,0,10mm,0,13mm,0,15mm,0,18mm,0,20mm,0,23mm,0,25mm,0,28mm,0,30mm,0,33mm,0,38mm,0,40mm,0,45mm,0,50mm,0,55mm,0,60mm,0,63mm,0,65mm,0,70mm,0,75mm,0,80mm,0,85mm,0,90mm,1,00mm
- Meet and exceed DIN2275 and JIS B 7524-1992.

PART #	CONTENTS	PCS
E9733	32PCS	12

RADIUS GAUGES



- Used for measuring the circular arc radius of work piece and convex surface

PART #	LEAVES	RANGE	PCS
E0534	15PCS	15,5-25mm	12
E0535	16PCS	7,5-15mm	12
E0536	17PCS	1,0-7,0mm	12

9PC FEELER GAUGE SET



- Feeler size: 0,04mm,0,05mm,0,06mm,0,07mm,0,08mm,0,10mm,0,15mm,0,20mm,0,30mm

PART #	CONTENTS	PCS
E9731	9PCS	12

23PC FEELER GAUGE SET



- Made of 65Mn, polished.
- Male imperial contrast.
- Feeler 3.5" , include 6 pieces of copper,2 wrench, 2 pieces of steel wire.
- Feeler size: 0,02mm,0,03mm,0,04mm,0,05mm,0,10mm,0,15mm,0,20mm,0,25mm,0,30mm,0,35mm,0,40mm,0,45mm,0,50mm,0,55mm,0,60mm,0,65mm,0,70mm,0,75mm,0,80mm,0,85mm,0,90mm,0,95mm,1,00mm
- Meet and exceed DIN2275 and JIS B 7524-1992.

PART #	CONTENTS	PCS
E9734	23PCS	12

HSS GROUND THREAD TAP



- Made of premium grade HSS
- Meet DIN 352
- Precise Thread Size



- Made of premium grade HSS
- Meet DIN 223
- Precise Thread Size

14

DRILLING TOOLS

28PC. THREAD TAPS DRILLS SET



- Made of premium high speed steel.
- Drill Tip with Double Rear Angles, for Good Centering
- Meet and exceed DIN.

PART #	CONTENTS	PCS
E0207	28PCS	6

21PC. THREAD TAPS SET



- 4-Tape M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Tape M8x1.25, M10x1.5, M12x1.75
- 4-Intermediate M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Intermediate M8x1.25, M10x1.5, M12x1.75
- 4-Plug M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Plug M8x1.25, M10x1.5, M12x1.75

- Made of premium grade HSS
- Meet and exceed DIN

PART #	CONTENTS	ΔTΔ	PCS
E0201	21PCS	0,64kg	6

32PC. THREAD TAPS SET



- 4-Tape M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Tape M8x1.25, M10x1.5, M12x1.75
- 4-Second Tap M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Intermediate M8x1.25, M10x1.5, M12x1.75
- 4-Plug M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Plug M8x1.25, M10x1.5, M12x1.75
- 4-Round M3x0,5, M4x0,7, M5x0,8, M6x1
- 3-Round M8x1.25, M10x1.5, M12x1.75
- 1-Die Holder 1/2"
- 1-Die Holder 1"
- 1-Thread Gauge
- 1-Screwdriver Slotted 3x75mm

- Made of premium grade HSS
- Meet and exceed DIN

PART #	CONTENTS	ΔTΔ	PCS
E0202	32PCS	1,33kg	3

12PC. THREAD TAPS SET



5-M6x1, M7x1, M8x1.25, M10x1.5, M12x1.75
5-M6x1, M7x1, M8x1.25, M10x1.5, M12x1.75
1-Die Holder 1/2" 1-Die Holder 1"

- Made of premium grade HSS.
- Meet and exceed DIN

PART #	CONTENTS	ΔTΔ	Weight
E0203	12PCS	0.82kg	1

20PC THREAD TAPS SET



4-Intermediate M3x0.5, M4x0.7, M9x1.25, M5x0.8
5-Intermediate M6x1, M7x1, M8x1.25, M10x1.5, M12x1.75
4-Round Die M3x0.5, M4x0.7, M9x1.25, M5x0.8
5-Round Die M6x1, M7x1, M8x1.25, M10x1.5, M12x1.75
1-Die Holder 1/2"
1-Die Holder 1"

- Made of premium grade HSS.
- Meet and exceed DIN

PART #	CONTENTS	ΔTΔ	Weight
E0204	20PCS	0.93kg	1

40PC. THREAD TAPS SET



4-Tape M3x0.5, M4x0.7, M5x0.8, M6x0.75
4-Tape M7x0.75, M8x1, M10x1.25, M12x1.5
4-Tape M3x0.6, M4x0.75, M5x0.9, M6x1
4-Tape M7x1, M8x1.25, M10x1.5, M12x1.75
4-Round Die M3x0.5, M4x0.7, M5x0.8, M6x0.75
4-Round Die M7x0.75, M8x1, M10x1.25, M12x1.25
4-Round M3x0.6, M4x0.75, M5x0.9, M6x1
4-Round M7x1, M8x1.25, M10x1.5, M12x1.75
1-NPT Tap 1/8-27
1-NPT Die 1/8-27
1-Die Holder 1/2"(M3-M12)
1-T-type Die Holder 1/4"
1-Die Holder 1"(M25)
2-Thread Gauge
1-Slotted Screwdriver 3x75mm

- Made of premium grade HSS.
- Meet and exceed DIN

PART #	CONTENTS	ΔTΔ	Weight
E0205	40PCS	1.32kg	1

HSS GROUND THREAD TAP



- Made of premium grade HSS Precise Thread Size
- Meet DIN 352

PART #	THREAD PITCH	SIZE	CONTENTS	Weight
E0211	0.5mm	M3	Tape, Second Tap	12
E0212	0.7 mm	M4	Tape, Second Tap	12
E0213	0.8 mm	M5	Tape, Second Tap	12
E0214	1.0 mm	M6	Tape, Second Tap	12
E0215	1.0 mm	M7	Tape, Second Tap	12
E0216	1.25 mm	M8	Tape, Second Tap	12
E0217	1.5 mm	M10	Tape, Second Tap	12
E0218	1.75 mm	M12	Tape, Second Tap	12

NPT HSS GROUND THREAD TAP



- Made of premium grade HSS Precise Thread Size
- Meet ANSI B94.9

PART #	SIZE	Weight
E0231	1/8"-27	12


TAP WRENCH



- Work with Thread Tap
- Clamp Made of High Grade Carbon Steel
- Handle Made of Endurable Steel

PART #	SIZE	Weight
E0233	1/2"	12

HSS THREAD TAPS SET



- Durable screw thread.
- Used for equipment repair, maintenance and installment.
- Meet and exceed DIN and ANSI.

HSS GROUND THREAD TAP



- Made of premium grade HSS Precise Thread Size
- Meet DIN 223

PART #	SIZE	THREAD PITCH	Weight
E0221	M3	0.5mm	12
E0222	M4	0.7mm	12
E0223	M5	0.8mm	12
E0224	M6	1.0mm	12
E0225	M7	1.0mm	12
E0226	M8	1.25mm	12
E0227	M10	1.5mm	12
E0228	M12	1.75mm	12

NPT HSS GROUND THREAD



- Made of premium grade HSS Precise Thread Size


PART #	SIZE	Weight
E0232	1/8"-27	12

T TYPE TAP WRENCH



- Work with Thread Tap
- T type design. Able to Operate by One-hand

PART #	SIZE	Weight
E0234	1/4"	12



- Made in premium grade HSS, with 5% Co, fully ground
- Special for drilling in stainless steel, etc.
- Drill tip with double rear angles for good centering
- DIN338 standard, tolerance within 0-0.007mm

- Made of premium grade HSS, fully ground, 3 times life of normal black drills
- Fast cutting, high precision and good extraction
- Drill tip with double rear angles for good centering
- DIN338 standard, limit of tolerance 0-0.007mm

DIE STOCKS



- Made of zinc alloy, Durable.

PART #	SIZE	Weight
E0235	1"	12

ENGINEERING DRILLS



- Drill Bit with 5% Co for Long-Life Usage
- Clear Size Marking for Easy-to-find
- Drill Tip with Double Rear Angles, for Good Centering

PART #	SIZE	LENGTH	Weight
E0411	1.0	34.0mm	10
E0412	1.5	40.0mm	10
E0413	2.0	49.0mm	10
E0415	2.5	53.0mm	10
E0416	2.8	57.0mm	10
E0417	3.0	61.0mm	10
E0418	3.2	61.0mm	10
E0419	3.5	65.0mm	10
E0421	4.0	70.0mm	10
E0422	4.2	75.0mm	10
E0423	4.5	75.0mm	10
E0424	4.8	80.0mm	10
E0425	5.0	86.0mm	10
E0426	5.2	86.0mm	10
E0427	5.5	86.0mm	10
E0429	6.0	93.0mm	10
E0431	6.5	93.0mm	10
E0432	6.8	101.0mm	10
E0433	7.0	109.0mm	10
E0434	7.5	109.0mm	10
E0435	8.0	109.0mm	10
E0436	8.5	117.0mm	10
E0437	9.0	117.0mm	10
E0438	9.5	125.0mm	10
E0439	10.0	125.0mm	10
E0440	10.2	133.0mm	10
E0441	10.5	133.0mm	5
E0442	11.0	133.0mm	5
E0443	11.5	142.0mm	5
E0444	12.0	151.0mm	5
E0445	12.5	151.0mm	5
E0446	13.0	151.0mm	5

10PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
- Clear Size Marking for Easy-to-find
- Drill Tip with Double Rear Angles, for Good Centering
- 10 - 1,0,2,0,3,0,4,0,5,0,6,0,7,0,8,0,9,0,10,0mm

PART #	CONTENTS	WEIGHT
E0406	10PCS	12

13PC. ENGINEERING DRILLS SET



- Clear Size Marking for Easy-to-find
- Drill Bit with 5% Co for Long-Life Usage
- Drill Tip with Double Rear Angles, for Good Centering
- 13 - 1,5,2,0,2,5,3,0,3,2,3,5,4,0,4,5,4,8,5,0,5,5,6,0,6,5mm

PART #	CONTENTS	WEIGHT
E0401	13PCS	6

25PC. ENGINEERING DRILLS SET



- Clear Size Marking for Easy-to-find
- Drill Bit with 5% Co for Long-Life Usage
- Drill Tip with Double Rear Angles, for Good Centering
- 25-0,1,5,2,0,2,5,3,0,3,5,4,0,4,5,5,0,5,5,6,0,6,5,7,0,7,5,8,0,8,5,9,0,9,5,10,10,5,11,0,11,5,12,0,12,5,13,0mm

PART #	CONTENTS	WEIGHT
E0403	25PCS	6

6PC. ENGINEERING DRILLS SET



- Drill Bit with 5% Co for Long-Life Usage
- Clear Size Marking for Easy-to-find
- 6 - 2,0,3,0,4,0,5,0,6,0,7,0,8,0mm

PART #	CONTENTS	WEIGHT
E0404	6PCS	12

8PC. ENGINEERING DRILLS SET



- Drill Bit with 5% Co for Long-Life Usage
- Clear Size Marking for Easy-to-find
- Drill Tip with Double Rear Angles, for Good Centering
- 8 - 3,0,4,0,5,0,6,0,7,0,8,0,9,0,10,0mm

PART #	CONTENTS	WEIGHT
E0405	8PCS	12

19PC. ENGINEERING DRILLS SET



- Clear Size Marking for Easy-to-find
- Drill Bit with 5% Co for Long-Life Usage
- Drill Tip with Double Rear Angles, for Good Centering
- 19 - 1,0,1,5,2,0,2,5,3,0,3,5,4,0,4,5,5,0,5,5,6,0,6,5,7,0,7,5,8,0,8,5,9,0,9,5,10mm

PART #	CONTENTS	WEIGHT
E0402	19PCS	6

6PC..ENGINEERING DRILLS SET



- Made of premium grade HSS
- Clear Size Marking for Easy-to-find
- Drill Tip with Double Rear Angles, for Good Centering
- Titanium coated
- 6 - 2,0,3,0,4,0,5,0,6,0,8,0mm

PART #	CONTENTS	WEIGHT
E0304	6PCS	12

BROKEN SCREW EXTRACTOR



- Apply for taking out broken bolt and screw
- Made of high quality alloy with heat treatment

PART #	SIZE	WEIGHT
E0208	5PCS(1#,2#,3#,4#,5#mm)	6

21PC. THREAD TAPS SET



- 4-Second Tape M3x0,5, M4x0,7, M5x0,8, M9x1,25
- 5-Second Tape M6x1, M7x1, M8x1,25, M10x1,5, M12x1,75
- 4-Round Die M3x0,5, M4x0,7, M5x0,8, M9x1,25
- 5-Round Die M6x1, M7x1, M8x1,25, M10x1,5, M12x1,75
- 1-Die Holder 1/2"
- 1-Die Holder 1"
- 1-24pcs Gauges 0,25-6,0mm
- Size: 380x140x52mm
- Made of premium grade HSS
- Meet and exceed DIN

PART #	CONTENTS	WEIGHT
E0209	21PCS 1,25kg	1



ENGINEERING DRILLS SET



- Made of premium grade HSS
- Clear Size Marking for Easy-to-find
- Drill Tip with Double Rear Angles, for Good Centering
- Titanium coated

PART #	SIZE	LENGTH	WEIGHT
E0311	1,0mm	34,0mm	10
E0312	1,5mm	40,0mm	10
E0347	1,8mm	43,0mm	10
E0348	1,8mm	45,0mm	10
E0349	1,8mm	46,0mm	10
E0313	2,0mm	48,0mm	10
E0360	2,1mm	49,0mm	10
E0314	2,2mm	53,0mm	10
E0351	2,3mm	53,0mm	10
E0352	2,4mm	57,0mm	10
E0315	2,5mm	57,0mm	10
E0353	2,6mm	57,0mm	10
E0354	2,7mm	61,0mm	10
E0316	2,8mm	61,0mm	10
E0355	2,9mm	61,0mm	10
E0317	3,0mm	61,0mm	10
E0356	3,1mm	65,0mm	10
E0318	3,2mm	65,0mm	10
E0357	3,3mm	65,0mm	10
E0358	3,4mm	70,0mm	10
E0319	3,5mm	70,0mm	10
E0359	3,6mm	70,0mm	10
E0360	3,7mm	70,0mm	10
E0320	3,8mm	75,0mm	10
E0361	3,9mm	75,0mm	10
E0321	4,0mm	75,0mm	10
E0362	4,1mm	75,0mm	10
E0322	4,2mm	75,0mm	10
E0363	4,3mm	80,0mm	10
E0364	4,4mm	80,0mm	10
E0323	4,5mm	80,0mm	10
E0365	4,6mm	80,0mm	10
E0366	4,7mm	80,0mm	10
E0324	4,8mm	86,0mm	10
E0367	4,9mm	86,0mm	10

PART #	SIZE	LENGTH	WEIGHT
E0325	5,0mm	86,0mm	10
E0368	5,1mm	86,0mm	10
E0326	5,2mm	86,0mm	10
E0369	5,3mm	86,0mm	10
E0370	5,4mm	93,0mm	10
E0327	5,5mm	93,0mm	10
E0371	5,6mm	93,0mm	10
E0372	5,7mm	93,0mm	10
E0328	5,8mm	93,0mm	10
E0373	5,9mm	93,0mm	10
E0329	6,0mm	93,0mm	10
E0374	6,1mm	101,0mm	10
E0330	6,2mm	101,0mm	10
E0375	6,3mm	101,0mm	10
E0376	6,4mm	101,0mm	10
E0331	6,5mm	101,0mm	10
E0377	6,6mm	101,0mm	10
E0378	6,7mm	101,0mm	10
E0332	6,8mm	109,0mm	10
E0379	6,9mm	109,0mm	10
E0333	7,0mm	109,0mm	10
E0380	7,2mm	109,0mm	10
E0334	7,5mm	109,0mm	10
E0335	8,0mm	117,0mm	10
E0336	8,5mm	117,0mm	10
E0337	9,0mm	125,0mm	10
E0338	9,5mm	125,0mm	10
E0339	10,0mm	133,0mm	10
E0340	10,2mm	133,0mm	5
E0341	10,5mm	133,0mm	5
E0342	11,0mm	142,0mm	5
E0343	11,5mm	142,0mm	5
E0344	12,0mm	151,0mm	5
E0345	12,5mm	151,0mm	5
E0346	13,0mm	151,0mm	5

8PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
 - Clear Size Marking for Easy-to-find
 - Drill Tip with Double Rear Angles, for Good Centering
 - Titanium coated
- 8 - 3.0,4.0,5.0,6.0,8.0,9.0,10.0mm

PART #	CONTENTS	PCS
E0305	8PCS	12

10PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
 - Clear Size Marking for Easy-to-find
 - Drill Tip with Double Rear Angles, for Good Centering
 - Titanium coated
- 10 - 1.0, 2.0, 3.0,4.0,5.0,6.0,8.0,9.0,10.0mm

PART #	CONTENTS	PCS
E0306	10PCS	12

13PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
 - Clear Size Marking for Easy-to-find
 - Drill Tip with Double Rear Angles, for Good Centering
 - Titanium coated
- 13 - 1.5,2.0,2.5,3.0,3.2,3.5,4.0,4.5,4.8,5.0,5.5,6.0,8.5mm

PART #	CONTENTS	PCS
E0301	13PCS	6

19PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
 - Clear Size Marking for Easy-to-find
 - Drill Tip with Double Rear Angles, for Good Centering
 - Titanium coated
- 19 - 1.0,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5,9.0,9.5,10mm

PART #	CONTENTS	PCS
E0302	19PCS	6

25PC. ENGINEERING DRILLS SET



- Made of premium grade HSS
 - Clear Size Marking for Easy-to-find
 - Drill Tip with Double Rear Angles, for Good Centering
 - Titanium coated
- 19 - 1.0,1.5,2.0,2.5,3.0,3.5,4.0,4.5,5.0,5.5,6.0,6.5,7.0,7.5,8.0,8.5,9.0,9.5,10,10.5,11.0,11.5,12.0,12.5,13.0mm

PART #	CONTENTS	PCS
E0303	25PCS	6



15

ABRASIVE PRODUCTS

Aluminum Abrasive Cloth



PART #	SIZE	LxW	PCS
T0212	P36	230x280mm	50
T0213	P40	230x280mm	50
T0214	P60	230x280mm	50
T0215	P80	230x280mm	50
T0216	P100	230x280mm	50
T0217	P120	230x280mm	50
T0218	P150	230x280mm	50
T0219	P180	230x280mm	50

ENDURA®
A Textron Company

ENDURA®
A Textron Company

ENDURA®
A Textron Company