

6

SCREWDRIVER & BITS

SCREWDRIVER SET



- 3-Bits 3.0 5.0 6.0mm
- 3-Bits PH1 PH2 PH0
- 2-Bits T15 T20
- 2-Bits PZ1 PZ2
- 1-Bits 2.0mm

PART #	CONTENTS	ΔTΔ	Weight
T6106	11PCS		6

15PC.SCREWDRIVER SET



- 3-1/4" Dr. 25mm Bits slotted 4.5,5.6,5.5mm
- 3-1/4" Dr. 25mm Bits phillips #1,#2,#3
- 4-1/4" Dr. 25mm Bits Hex 3,4,5,6mm
- 3-1/4" Dr. 25mm Bits Torx T10,T15,T20
- 1-1/4" Dr. 25mm Bit Adapter
- 1-Spinner Handle
- Bits made of premium grade S2, rust proof.

PART #	CONTENTS	ΔTΔ	Weight
E1113	15PCS	0,22kg	6

8PC.SCREWDRIVER SET



- 4-Screwdriver slotted 3x75,5x100,6x38,6x150mm
- 4-Screwdriver Phillips #0x75,#1x100,#2x38,#2x150mm
- Blade made of Cr - V.

PART #	CONTENTS	ΔTΔ	Weight
E1164	8PCS	0,68kg	6

8PC.SCREWDRIVER SET



- 4-Screwdriver slotted 3x75,5x75,6x38,6x150mm
- 4-Screwdriver phillips #0x75,#1x100,#2x38,#2x150mm
- Blade made of Cr-Mo, high torque and tenacity.

PART #	CONTENTS	ΔTΔ	Weight
E1166	8PCS	0,58kg	6

8PC.SCREWDRIVER SET



- 8-Screwdriver Torx T8,T10,T15,T20,T25,T27,T30,T40
- Blade made of Cr - V.

PART #	CONTENTS	ΔTΔ	Weight
E1167	8PCS	0,58kg	6

4PC.MINI SCREWDRIVER SET



- 1-Mini screwdriver handle
- 3-Blades PH-T5-T6-T7-T8-T9-T10
- Blade made of Cr-V

PART #	CONTENTS	ΔTΔ	Weight
E1116	4PCS	0,22kg	12

8PC.SCREWDRIVER SET



- 4-Screwdriver slotted 3x75,5x75,6x38,6x150mm
- 4-Screwdriver phillips #0x75,#1x100,#2x38,#2x150mm
- Blade made of Cr - Mo, high torque and tenacity.

PART #	CONTENTS	ΔTΔ	Weight
E1172	8PCS	0,58kg	6

6PC.MINI SCREWDRIVER SET



- 4-Mini screwdriver slotted 1,4x40mm,2,0x40mm,2,4x40mm,3,0x40mm
- 2-Screwdriver phillips PH00x40mm,PH0x40mm
- Blade made of Cr-V, high torque and tenacity.

PART #	CONTENTS	ΔTΔ	Weight
E1114	6PCS	0,58kg	6

4PC.MINI SCREWDRIVER SET



- 1-Mini screwdriver handle
- 3-Blades 2.0, PH00, 2.4, PH0, T6-T8
- Blade made of Cr-V

PART #	CONTENTS	ΔTΔ	Weight
E1115	4PCS	0,22kg	12

5/16"DR. LONG BITS



- Suitable for car engine
- Premium grade steel, good torque and hardness

PART #	SIZE	LENGTH	Weight
T6865	PH2	80,0mm	12
T6866	PH2	150,0mm	12
T6864	PH2	200,0mm	12

6PC.MINI SCREWDRIVER SET



- 2 -Mini screwdriver 2.0x40mm,2.4x40mm
- 2 -Mini screwdriver PH00x40mm,PH0x40mm
- 2 -Mini screwdriver T6x40mm,T8x40mm
- Blade made of Cr-Mo, high torque and tenacity.

PART #	CONTENTS	ΔTΔ	Weight
E1117	6PCS	0,15kg	6

7PC.MINI SCREWDRIVER SET



- 1-Mini screwdriver handle
- 3-Blades T5-T8,T6-T10,T4-H2.0
- 3-Blades T7-H1.5,PH0.2.5,PH0.0-1.5
- Blade made of Cr-V, convenient to use.

PART #	CONTENTS	ΔTΔ	Weight
E1118	7PCS	0,14kg	12

31PC. MINI SCREWDRIVER SET



- 9- T4,T5,T6,T7,T8,T9,T10,T15,T20
- 7- 1.0,1.5,2.0,2.5,3.0,3.5,4.0mm
- 4- NO.000,NO.00,NO.0,NO.1
- 2- NO.0,NO.1
- 8- 0.7,0.9,1.3,1.5,2.0,2.5,3.0,4.0mm

PART #	CONTENTS	Weight
E6744	31PCS	12

6PC.CLOCK AND WATCH SCREWDRIVER SET



- 4-Slotted 1.0,1.4,2.0,2.4mm
- 2-Phillips PH0,PH1

PART #	CONTENTS	Weight
E6745	6PCS	12

9PC.MULTI-SCREWDRIVER SET



- 1 - changeable Screwdriver Handle
- 3 - Screwdriver PH0,PH1,PH2
- 3 - Screwdriver 3.2,5,6mm
- 2 - Special Screwdriver, Fine Point
- Multi-purpose

PART #	CONTENTS	ΔTΔ	Weight
E1161	9PCS	0,3kg	6

2PC.SCREWDRIVER SET



- 1-Rubber&plastic screwdriver grip.
- 1-Blades slotted 5,5mmx150mm, PH2X150MM

PART #	CONTENTS	ΔTΔ	Weight
E6742	2PCS	0,135kg	6

SCREWDRIVER SET



- 1-Screwdriver Handle
- 1-Blade 6.0mm PH2

PART #	CONTENTS	Weight
T6104	2PCS	6

SCREWDRIVER SET



- 1-Screwdriver Handle
- 2-Blade 4.0mm PH1, 6.0mm PH2

PART #	CONTENTS	Weight
T6105	3PCS	6

10PC.AND EXCHANGES SCREWDRIVERS SET



- 10PC - T6,T8,T10,T15,PH00,PH0,PH1,2.0,3.0,5.0mm
- All-purpose, suitable for precise job.

PART #	CONTENTS	Weight
T1128	10PCS	12

7PC.RATCHET SCREWDRIVER SET



- 1-Rubber&plastic screwdriver handle.
- 6-1/4" Dr. 25L bit 4.5,5.5,6.5, #1,#2,#3
- With ratchet design, bi-direction use.
- Bit made of premium grade S2, high torque and tenacity, rust-proof.

PART #	CONTENTS	ΔTΔ	Weight
E6735	7PCS	0,17kg	6

8PCS RATCHET SCREWDRIVER SET



- TPR handle, comfortable
- Fashion design

PART #	SIZE	CONTENTS	LENGTH	Weight
E6705	1/4	8PCS	280,0mm	6

10PC.SCREWDRIVER SET



- 5-Screwdriver slotted 5x75,3x100,5x100,6x150,8x150mm
- 5-Screwdriver phillips 1x75,0#x100,1#x100,2#x150,3#x150mm
- Box size : 380x260x80mm
- Blade made of Cr-Mo.

PART #	CONTENTS	ΔTΔ	Weight
E1173	10PCS	0,9kg	6

SCREWDRIVER DISPLAY STAND



- High range organic glass, high transparency
- Display screwdriver and bits for 56pcs
- Special design, normal display casework

MINI SCREWDRIVER SLOTTED



- Blade made of Cr-Mo

PART #	SIZE	LENGTH	mm
E6761	1,4X40mm	130,7mm	12
E6762	2,0X40mm	130,7mm	12
E6763	2,4X40mm	130,7mm	12
E6764	3,0X40mm	130,7mm	12
E6765	2,0X75mm	165,7mm	12
E6766	3,0X100mm	190,7mm	12
E6767	4,0X150mm	240,7mm	12

MINI SCREWDRIVER TORX



- Blade made of Cr-Mo

PART #	SIZE	LENGTH	mm
E6781	T4X40mm	130,7mm	12
E6782	T5X40mm	130,7mm	12
E6783	T6X40mm	130,7mm	12
E6784	T7X40mm	130,7mm	12
E6785	T8X40mm	130,7mm	12
E6786	T9X40mm	130,7mm	12
E6787	T10X40mm	130,7mm	12
E6788	T15X40mm	130,7mm	12

MINI SCREWDRIVER PHILLIPS



- Blade made of Cr-Mo

PART #	SIZE	LENGTH	mm
E6771	PH00x40mm	130,7mm	12
E6772	PH0X40mm	130,7mm	12
E6773	PH0X40mm	130,7mm	12
E6774	PH1X40mm	130,7mm	12
E6775	PH00X75mm	165,7mm	12
E6776	PH0X100mm	190,7mm	12
E6777	PH1X150mm	240,7mm	12

MULTI-SCREWDRIVER



- Made of Cr-V.

PART #	SIZE	Ø	mm
E6746	5,5mmxPH2	5,5mm	12
E6747	PH1xPH2	5,5mm	12
E6748	PH2xPH3	6,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr-V
- PVC handle.

PART #	SIZE	LENGTH	mm
E6221	#0X75mm	155,0mm	12
E6222	#0X100mm	180,0mm	12
E6223	#0X150mm	230,0mm	12
E6224	#0X200mm	280,0mm	12
E6227	#1X75mm	155,0mm	12
E6228	#1X100mm	180,0mm	12
E6229	#1X150mm	230,0mm	12
E6230	#1X200mm	280,0mm	12
E6231	#1X250mm	330,0mm	12
E6233	#2X100mm	190,0mm	12
E6234	#2X150mm	240,0mm	12
E6235	#2X200mm	290,0mm	12
E6236	#2X250mm	340,0mm	12
E6237	#3X150mm	240,0mm	12
E6238	#3X200mm	290,0mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr-V
- PVC handle.

PART #	SIZE	LENGTH	mm
E6201	3X75mm	155,0mm	12
E6202	3X100mm	180,0mm	12
E6203	3X150mm	230,0mm	12
E6204	3X200mm	280,0mm	12
E6207	5X75mm	155,0mm	12
E6208	5X100mm	180,0mm	12
E6209	5X150mm	230,0mm	12
E6210	5X200mm	280,0mm	12
E6211	5X250mm	330,0mm	12
E6213	6X100mm	190,0mm	12
E6214	6X150mm	240,0mm	12
E6215	6X200mm	290,0mm	12
E6216	6X250mm	340,0mm	12
E6217	8X150mm	240,0mm	12
E6218	8X200mm	290,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr-Mo, height torque and tenacity.
- PVC handle.

PART #	SIZE	LENGTH	mm
E6232	#2X38mm	128,0mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr-V
- PVC handle.

PART #	SIZE	LENGTH	mm
E6212	6X38mm	128,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr - Mo, heat treated.
- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6521	#0x75mm	160,0mm	12
E6522	#0x100mm	185,0mm	12
E6523	#0x150mm	235,0mm	12
E6527	#1x75mm	183,3mm	12
E6528	#1x100mm	208,3mm	12
E6529	#1x150mm	258,3mm	12
E6530	#1x200mm	308,3mm	12
E6532	#2x100mm	215,8mm	12
E6533	#2x150mm	265,8mm	12
E6534	#2x200mm	315,8mm	12
E6535	#2x250mm	365,8mm	12
E6536	#3x150mm	278,2mm	12
E6537	#3x200mm	325,0mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr - Mo, heat treated.
- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6501	3x75mm	160,0mm	12
E6502	3x100mm	185,0mm	12
E6503	3x150mm	235,0mm	12
E6507	5x75mm	183,3mm	12
E6508	5x100mm	208,3mm	12
E6509	5x150mm	258,3mm	12
E6510	5x200mm	308,3mm	12
E6512	6x100mm	215,8mm	12
E6513	6x150mm	265,8mm	12
E6514	6x200mm	315,0mm	12
E6515	6x250mm	365,8mm	12
E6516	8x150mm	278,0mm	12
E6517	8x200mm	325,0mm	12

SCREWDRIVER WITH STRIKING CAP, PHILLIPS



- Blade made of S2.
- Ergonomic handle.

PART #	SIZE	LENGTH	mm
E6691	#2X100mm	223,0mm	12
E6692	#2X150mm	273,0mm	12
E6693	#3X150mm	273,0mm	12
E6694	#3X200mm	323,0mm	12
E6695	#3X250mm	373,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr - Mo, heat treated.
- Two tone rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6531	#2X38mm	101,4mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr - Mo, heat treated.
- Two tone rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6511	6x38mm	101,4mm	12

SCREWDRIVER WITH STRIKING CAP, SLOTTED



- Blade made of S2.
- Heavy Rivet for Striking Purpose.

PART #	SIZE	LENGTH	mm
E6681	6X100mm	223,0mm	12
E6682	6X150mm	273,0mm	12
E6683	8X150mm	273,0mm	12
E6684	8X200mm	323,0mm	12
E6685	8X250mm	373,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr - Mo, heat treated.
- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6571	#0x50mm	140,0mm	12
E6572	#0x75mm	165,0mm	12
E6573	#0x100mm	190,0mm	12
E6574	#0x125mm	215,0mm	12
E6575	#0x150mm	240,0mm	12
E6582	#1x75mm	165,0mm	12
E6583	#1x100mm	190,0mm	12
E6584	#1x125mm	215,0mm	12
E6585	#1x150mm	240,0mm	12
E6586	#1x200mm	290,0mm	12
E6590	#2x100mm	215,0mm	12
E6591	#2x125mm	240,0mm	12
E6592	#2x150mm	265,0mm	12
E6593	#2x200mm	315,0mm	12
E6597	#3x150mm	265,0mm	12
E6598	#3x200mm	315,0mm	12
E6599	#3x250mm	365,0mm	12
E6600	#3x300mm	415,0mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr - Mo, heat treated and magnetized.
- Two tone rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6541	3x50mm	140,0mm	12
E6542	3x75mm	165,0mm	12
E6543	3x100mm	190,0mm	12
E6544	3x125mm	215,0mm	12
E6545	3x150mm	240,0mm	12
E6552	5x75mm	165,0mm	12
E6553	5x100mm	190,0mm	12
E6554	5x125mm	215,0mm	12
E6555	5x150mm	240,0mm	12
E6556	5x200mm	290,0mm	12
E6560	6x100mm	215,0mm	12
E6561	6x125mm	240,0mm	12
E6562	6x150mm	265,0mm	12
E6563	6x200mm	315,0mm	12
E6567	8x150mm	265,0mm	12
E6568	8x200mm	315,0mm	12
E6569	8x250mm	365,0mm	12
E6570	8x300mm	415,0mm	12

TELECOMMUNICATION
SCREWDRIVER PHILLIPS



- Blade made of Cr - Mo, heat treated and magnetized.
- Two tone rubber & plastic grip, comfortable to use.
- Ultra-long blade, suitable for tele-communication maintenance.

PART #	SIZE	LENGTH	mm
E6371	PH000x150mm	240,0mm	12
E6374	PH00x150mm	240,0mm	12
E6376	PH0x200mm	290,0mm	12
E6377	PH0x250mm	340,0mm	12
E6378	PH0x300mm	390,0mm	12
E6379	PH1x250mm	340,0mm	12
E6380	PH1x300mm	390,0mm	12
E6382	PH2x250mm	365,0mm	12
E6383	PH2x300mm	415,0mm	12
E6384	PH2x350mm	465,0mm	12
E6385	PH2x400mm	515,0mm	12

SCREWDRIVER PHILLIPS



- Blade made of Cr - Mo, heat treated.
- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6589	#2X38mm	93,0mm	12

SCREWDRIVER SLOTTED



- Blade made of Cr - Mo, heat treated and magnetized.
- Two tone rubber&plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6559	6X38mm	93,0mm	12

TELECOMMUNICATION
SCREWDRIVER SLOTTED



- Blade made of Cr - Mo, heat treated and magnetized.
- Two tone rubber & plastic grip, comfortable to use.
- Ultra-long blade, suitable for tele-communication maintenance.

PART #	SIZE	LENGTH	mm
E6351	2,0x150mm	240,0mm	12
E6352	2,5x150mm	240,0mm	12
E6354	3,0x200mm	290,0mm	12
E6356	4,0x250mm	340,0mm	12
E6357	4,0x300mm	390,0mm	12
E6359	4,0x300mm	340,0mm	12
E6360	5,0x300mm	390,0mm	12
E6362	6,0x250mm	365,0mm	12
E6363	6,0x300mm	415,0mm	12
E6364	6,0x350mm	465,0mm	12
E6365	6,0x400mm	515,0mm	12

SCREWDRIVER SLOTTED



- TPR+PP two tone handle, ergonomic design, very comfortable
- Oil-proof design to protect handle
- Blade made of S2, heat treated, good torque and hardness
- Blade head black finished, magnetized

PART #	SIZE	LENGTH	mm
E6251	3x75mm	84,0mm	12
E6252	3x100mm	109,0mm	12
E6253	3x150mm	159,0mm	12
E6256	5x75mm	85,5mm	12
E6257	5x100mm	110,5mm	12
E6258	5x150mm	160,5mm	12
E6262	6x100mm	111,5mm	12
E6263	6x150mm	161,5mm	12
E6264	6x200mm	211,5mm	12
E6265	6x250mm	261,5mm	12
E6267	8x150mm	162,3mm	12
E6268	8x200mm	212,3mm	12

SCREWDRIVER PHILLIPS



- TPR+PP two tone handle, ergonomic design, very comfortable
- Oil-proof design to protect handle
- Blade made of S2, heat treated, good torque and hardness
- Blade head black finished, magnetized

PART #	SIZE	LENGTH	mm
E6271	PH0x75mm	84,0mm	12
E6272	PH0x100mm	109,0mm	12
E6273	PH0x150mm	159,0mm	12
E6276	PH1x75mm	85,5mm	12
E6277	PH1x100mm	110,5mm	12
E6278	PH1x150mm	160,5mm	12
E6282	PH2x100mm	111,5mm	12
E6283	PH2x150mm	161,5mm	12
E6284	PH2x200mm	211,5mm	12
E6285	PH2x250mm	261,5mm	12
E6287	PH3x150mm	162,3mm	12
E6288	PH3x200mm	212,3mm	12

NUT DRIVERS



- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	mm
E6431	3,2x125mm	225,0mm	12
E6432	4x125mm	225,0mm	12
E6433	5x125mm	225,0mm	12
E6434	5,5x125mm	225,0mm	12
E6435	6x125mm	235,0mm	12
E6436	7x125mm	235,0mm	12
E6437	8x125mm	235,0mm	12
E6438	9x125mm	235,0mm	12
E6439	10x125mm	245,0mm	12
E6440	11x125mm	245,0mm	12
E6441	12x125mm	245,0mm	12
E6442	13x125mm	245,0mm	12
E6443	14x125mm	245,0mm	12

SCREWDRIVER PH



- TPP+PP two tone handle, ergonomic design, very comfortable
- Oil-proof design to protect handle
- Blade made of S3, heat treated, good torque and hardness
- Blade head black finished, magnetized

PART #	SIZE	LENGTH	mm
E6281	PH2x25mm	82,0mm	12

SCREWDRIVER SLOTTED



- TPP+PP two tone handle, ergonomic design, very comfortable
- Oil-proof design to protect handle
- Blade made of S2, heat treated, good torque and hardness
- Blade head black finished, magnetized

PART #	SIZE	LENGTH	mm
E6261	6x25mm	82,0mm	12

T-HANDLE SOCKET ADAPTER



PART #	SIZE	LENGTH	mm
E6716	1/4"	103,0mm	12

T-HANDLE BIT ADAPTER



- Magnetized, comfortable to insert bit.

PART #	SIZE	LENGTH	PCS
E6715	1/4"	200,0mm	12

NUT DRIVERS



PART #	SIZE	LENGTH	PCS
E6461	5x125mm	168,0mm	12
E6462	5,5x125mm	168,0mm	12
E6463	6x125mm	168,0mm	12
E6464	7x125mm	168,0mm	12
E6465	8x125mm	168,0mm	12
E6466	9x125mm	168,0mm	12
E6467	10x125mm	175,0mm	12
E6468	11x125mm	175,0mm	12
E6469	12x125mm	175,0mm	12
E6470	13x125mm	175,0mm	12

BITS HANDLE



- Blade made of CR-V with ball inside

PART #	SIZE	LENGTH	PCS
E6713	7X95mm	235,0mm	12

T-HANDLE SCREWDRIVER PHILLIPS



- Blade made of Cr - V.

PART #	SIZE	LENGTH	PCS
E6721	#1	43,0mm	12
E6722	#2	93,0mm	12
E6723	#3	50,0mm	12

TORX SCREWDRIVER



- Two tone TPR rubber & plastic grip, comfortable to use.

PART #	SIZE	LENGTH	PCS
E6451	T8X100mm	178,5mm	12
E6452	T10X100mm	178,5mm	12
E6453	T15X100mm	178,5mm	12
E6454	T20X100mm	178,5mm	12
E6455	T25X100mm	199,5mm	12
E6456	T27X100mm	199,5mm	12
E6457	T30X100mm	209,0mm	12
E6458	T40X100mm	209,0mm	12

SPINNER HANDLE



- Blade made of Cr-V, with ball.

PART #	SIZE	LENGTH	PCS
E6703	8X75mm	210,0mm	12

BITS HANDLE



- Blade made of Cr - V, with ball.

PART #	SIZE	LENGTH	PCS
E6711	7X95mm	220,0mm	12

19PC.IMPACT SCREWDRIVER SET



5-5/16"Dr, 30L bits slotted 5,5,6,5,8,10,12mm
 4-5/16"Dr, 30L bits phillips #1,#2,#3,#4
 4-5/16"Dr, 30L bits hex 5,6,8,10mm
 4-5/16"Dr, 70L bits slotted 8,10mm, Phillips #2,#3
 1-Impact handle
 1 - 5/16"Dr, impact bit adapter

- Handle made of premium grade steel, heat treated, durable.
- Bits made of S2, rust-off.

PART #	CONTENTS	Δ/Σ	PCS
E1139	19PCS	1,17kg	18

1/4" DR. 25L PHILLIPS BITS



- Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH	PCS
E6821	#0	25,0mm	60
E6822	#1	25,0mm	60
E6823	#2	25,0mm	60
E6824	#3	25,0mm	60

1/4" DR. 25L SLOTTED BITS



- Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH	PCS
E6811	3mm	25,0mm	60
E6812	4mm	25,0mm	60
E6813	5mm	25,0mm	60
E6814	5,5mm	25,0mm	60
E6815	6mm	25,0mm	60
E6816	6,5mm	25,0mm	60


1/4" DR. 25L HEX BITS



- Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH	PCS
E6831	2mm	25,0mm	60
E6832	2,5mm	25,0mm	60
E6833	3mm	25,0mm	60
E6834	4mm	25,0mm	60
E6835	5mm	25,0mm	60
E6836	6mm	25,0mm	60

SCREWDRIVER BLADE



- Cr-Mo-V,S2 steel blades.

• Cr-Mo-V steel blades adopting advanced processing technology have more than twice longer life than those made of traditional Cr-V and can furthest enhance blades' hardness and torque with HRC58.

1/4" DR. 25L TORX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6841	T8	25,0mm 60
E6842	T10	25,0mm 60
E6843	T15	25,0mm 60
E6844	T20	25,0mm 60
E6845	T25	25,0mm 60
E6846	T27	25,0mm 60
E6847	T30	25,0mm 60
E6848	T40	25,0mm 60

1/4"DR.50L HEX BITS(METRIC)



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6873	3mm	50,0mm 60
E6874	4mm	50,0mm 60
E6875	5mm	50,0mm 60
E6876	6mm	50,0mm 60

5/16"Dr. 30L PHILLIPS BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E8911	1#	30,0mm 60
E8912	2#	30,0mm 60
E8913	3#	30,0mm 60
E8914	4#	30,0mm 60

1/4"DR. 50L SLOTTED BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6851	3mm	50,0mm 60
E6852	4mm	50,0mm 60
E6853	5mm	50,0mm 60
E6854	5,5mm	50,0mm 60
E6855	6mm	50,0mm 60
E6856	6,5mm	50,0mm 60

1/4"DR.50L TORX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6882	T10	50,0mm 60
E6883	T15	50,0mm 60
E6884	T20	50,0mm 60

5/16"Dr. 30L HEX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E8921	5mm	30,0mm 60
E8922	6mm	30,0mm 60
E8923	8mm	30,0mm 60
E8924	10mm	30,0mm 60
E8925	12mm	30,0mm 60
E8926	14mm	30,0mm 60

1/4"DR.50L PHILLIPS BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6861	#0	50,0mm 60
E6862	#1	50,0mm 60
E6863	#2	50,0mm 60

5/16"Dr. 30L SLOTTED BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6901	5,5mm	30,0mm 60
E6902	6,5mm	30,0mm 60
E6903	8mm	30,0mm 60
E6904	10mm	30,0mm 60
E6905	12mm	30,0mm 60

5/16"Dr. 30L SPLINE BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6945	M5	30mm 60
E6946	M6	30mm 60
E6947	M8	30mm 60
E6948	M10	30mm 60
E6949	M12	30mm 60

5/16"Dr. 70L SPLINE BITS



PART #	SIZE	LENGTH
E6965	M5	70,0mm 60
E6966	M6	70,0mm 60
E6967	M8	70,0mm 60
E6968	M10	70,0mm 60
E6969	M12	70,0mm 60

5/16"Dr. 70L TORX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6973	T20	70,0mm 60
E6975	T30	70,0mm 60
E6976	T40	70,0mm 60
E6977	T45	70,0mm 60
E6978	T50	70,0mm 60
E6979	T55	70,0mm 60

5/16"Dr. 30L TORX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6933	T20	30,0mm 60
E6934	T25	30,0mm 60
E6935	T27	30,0mm 60
E6936	T30	30,0mm 60
E6937	T40	30,0mm 60
E6938	T45	30,0mm 60
E6939	T50	30,0mm 60
E6940	T55	30,0mm 60

1/4"DR. DOUBLE END BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6999	PH2-PH2	110,0mm 60

5/16"Dr. 70L HEX BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6982	4mm	70,0mm 60
E6984	6mm	70,0mm 60
E6985	7mm	70,0mm 60
E6986	8mm	70,0mm 60
E6987	10mm	70,0mm 60
E6989	12mm	70,0mm 60

BITS HOLDER



• Blade made of Cr - V, with ball.
• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6890	60mm (Magnelized)	60,0mm 60
E6892	25mm (Magnelized)	25,0mm 60
E6893	50mm (Magnelized)	50,0mm 60

5/16"Dr. 70L SLOTTED BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6953	5,5mm	70,0mm 60
E6954	6,5mm	70,0mm 60
E6951	8mm	70,0mm 60
E6952	10mm	70,0mm 60

5/16"Dr. 70L PHILLIPS BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6960	#1	70,0mm 60
E6961	#2	70,0mm 60
E6962	#3	70,0mm 60

1/4"DR.DOUBLE END BITS



• Made of S2 alloy steel, high hardness and torque.

PART #	SIZE	LENGTH
E6994	PH1-PH1	65,0mm 60
E6995	PH2-PH2	65,0mm 60
E6996	PH3-PH3	65,0mm 60
E6997	5,5mm-PH2	65,0mm 60
E6998	PH1-PH2	65,0mm 60

1/4"DR. 6SL MAGNETIC HEX NUT SETTER



- Made of high grade steel, heat treated, with internal magnetized equipment.

PART #	SIZE	LENGTH	▲
E4170	5mm	65,0mm	12
E4171	5.5mm	65,0mm	12
E4172	6mm	65,0mm	12
E4173	7mm	65,0mm	12
E4174	8mm	65,0mm	12
E4175	9mm	65,0mm	12
E4176	10mm	65,0mm	12
E4177	11mm	65,0mm	12
E4178	12mm	65,0mm	12
E4179	13mm	65,0mm	12
E4180	14mm	65,0mm	12

T52 BIT SOCKETS



- Blade made of S2, good torque and hardness
- Suitable for bolt removal of VW, AUDI, SEAT, SKODA

PART #	SIZE	LENGTH	▲
E4575	T52	125mm	12

M6 GEAR BOX SOCKET



- One cold forging, high torque and hardness

PART #	SIZE	LENGTH	▲
E4574	T16	60mm	12

41PC, 5/16" Dr. BITS SET



- 6-5/16" Dr, 30mm Hex Bits 5,6,8,10,12,14mm
- 8-5/16" Dr, 30mm Torx Bits T20,T25,T27,T30,T40,T45,T50,T55
- 4-5/16" Dr, 30mm Spline Bits M6,M8, M10,M12
- 2-5/16" Dr, 70mm Slotted Bits 5,5,6,5mm
- 3-5/16" Dr, 70mm Phillips Bits PH1,PH2,PH3
- 6-5/16" Dr, 70mm Torx Bits T20,T30,T40,T50,T55
- 5-5/16" Dr, 70mm Spline Bits M5,M6,M8,M10,M12
- 6-5/16" Dr,70mm Hex Bits 4,6,7,8,10,12mm
- 1-1/2" Dr. Adaptor

- Size: 380x140x52mm
- Bits made of S2, good torque and hardness

PART #	CONTENTS	▲	▲
E1138	41PCS	2,0kg	1

ENDURA®
A Textron Company

