CURVED JAWLOCKING PLIERS





Japanese type. Drop forged Cr - V.					
PART #	SIZE	LENGTH	100		
E5141	6"	150.0mm	6		

E5143

E5222A

E5223A

LABORSAVING DIAGONAL PLIERS Pliers made of Cr-V

•	Cutting thickness between 1.6mm-2.3mm fo
	Medium hardness steel wire
	Contar of rivet transferred to chearmaint labor

•	Center of rivet transfered to shearpoint,labor-saving
	at least 30% to 41%
	Lise TPR Handle

Use TPR Handle					
PART #	SIZE	LENGTH	100		
E5202	6"	150,0mm	6		
E5203	7"	175 . 0mm	6		





125**.**0mm 6

175.0mm 6

150.0mm

LABORS	AVING LINE	MAN' S PLIEF	Product
•			
 Pliers made 	of Cr-V		
 Cutting thicks 	ness between 1	.6mm-2.3mm for	
Medium hard	Iness steel wire		
		shearpoint,labor-	-saving
at least 30%			
 Use TPR Ha 	ndle		
PART #	SIZE	LENGTH	100
E5301	6"	152.0mm	6
E5302	7"	176 . 0mm	6
E5303	8"	203.0mm	6



E5123A

. Drop forged Cr - V.

PART #

59

Nickel iron steel plated, rust-proof.

SIZE

LENGTH **

LONG NOSE PLIERS




Drop forged Cr - V. Wickel iron steel plated, rust-proof.						
PART #	SIZE	LENGTH	THE			
E5232	6"	150 . 0mm	6			
E5233	7"	175.0mm	6			
LABORSAVING DIAGONAL PLIERS						













 German-type 	. Drop-torgea C	Jr-V.	
PART #	SIZE	LENGTH	THE
E5351	6"	152 . 0mm	6
E5352	7"	176,0mm	6
E5353	8"	203.0mm	6



LONG NOSE LOCKING PLIERS W/CUTTING EDGE



American type.	Drop-forged pre	mium grade carbo	n steel.
PART #	SIZE	LENGTH	N/H
E5321A	6"	152 . 0mm	6
E5322A	7"	176.0mm	6
E5323A	8"	203.0mm	6

· German-type. Drop-forged Cr-V.

LENGTH 🐃

6

152.0mm


176 0mm

Nickel iron plated. Rust-proof.

E5331

F5332







60

E5131 150.0mm 6 E5101 150.0mm 6 203.0mm E5333 E5625 10" 254.0mm 6 E5133 200.0mm E5539 2 190mm 6 E5103 200.0mm

CRV MINI FLAT FLIERS



- With micro-screw adjustment.
- Heat treated law, High tenacity and torque.

Treat treated jaw. Flight terracity and torque.				
PART #	SIZE	LENGTH	100	
E5609	5"	144,0mm	6	
E5610	7"	186.0mm	6	
E5611	10"	222.0mm	6	



8"







Heat treated jaw. High tenacity and torque.

PART #	SIZE	LENGTH	19
E5627	11"	279.4mm	6



- Full polished.
- Cutting thickness up to 1.25 for cold-rolled iron sheet and 0.7mm for stainless plate.

PART #	SIZE	LENGTH	-
E5521	8"	205.0mm	6
E5522	10"	255.0mm	6
E5523	12"	300.0mm	4





SIZE LENGTH

450 6

E5628 18"











Made of Cr-V, with two spring.






61

F5421

E5422

E5423



150**.**0mm 6

250.0mm 6

200.0mm



PART #

E5281

E5282

E5283

SIZE


LENGTH CUTTING RANGE


200mm 1,0-11,0mm 6

150mm 1.0-10.0mm 6

250mm 1.0-13.0mm 6







PART # SIZE LENGTH CUTINGRANGE == E5273 8" 200mm 1.0-4.5mm 6



